

## **TOYOTA PROACE VERSO**

- Genuine MPV flexibility
- Seating for up to nine on board
- Three grades – Shuttle, Family and VIP – targeting both private and commercial users
- Three body lengths – compact, medium and long – offering balance of manoeuvrability and excellent load capacity
- High equipment specifications, including Toyota Safety Sense active safety and driver assistance systems
- Excellent CO<sub>2</sub> emissions and fuel economy from a range of 1.5 and 2.0-litre diesel powertrains with manual and automatic transmission choices

Proace Verso made its world debut at the 2016 Geneva motor show, marking Toyota's return to the European large MPV market with a modern, flexible vehicle that offers a carrying capacity of up to nine people.

In the UK Proace Verso is available in three versions – Shuttle, Family and VIP – with a choice of three body and two wheelbase lengths. Power is from three turbodiesel engines, all with efficiency-boosting stop-start technology: 118bhp/88kW eight-valve 1.5-litre with six-speed manual transmission, available for the Shuttle version only; 148bhp/110kW 16-valve 2.0-litre with six-speed manual (Shuttle and Family grades); and 175bhp/130kW 2.0-litre with an eight-speed automatic gearbox (Family and VIP models). Official CO<sub>2</sub> emissions and fuel economy (1.5 diesel) are from 127g/km (NEDC correlated data) and from 40.07 to 47.08mpg (WLTP data).

High specification levels include user-friendly equipment such as rail-mounted sliding seats, opening rear tailgate glass, automatic sliding side doors and a multifunction roof. Proace Verso has been awarded five stars in the Euro NCAP crash test programme and is available with Toyota Safety Sense advanced active safety and driver assistance features.

## **Design and Packaging**

There are three body sizes – Compact, Medium and Long. At 4,609mm long, 1,910mm high and with a 2,925mm wheelbase, the compact version is remarkably spacious within its more modest external dimensions, providing accommodation for eight people on board. In spite of this, its turning circle is just 11.3 metres, making it a highly manoeuvrable vehicle for use around town.

Proace Verso's frontal design firmly identifies it as a modern Toyota, with its keen-edged upper grille that extends smoothly into the angled headlamp units and large, trapezoidal lower grille that emphasises the car's width and solidity. Family and VIP grade models ride on 17-inch alloy wheels with contrasting silver and dark grey surfaces.

The Medium version is 4,959mm long and its wheelbase is extended to 3,275mm. The long version retains the 3.2-metre wheelbase but features an extended rear overhang to make more space for luggage, increasing the overall length to 5,309mm. Luggage capacity extends from 280 litres in the compact wheelbase model with all seats in place to a cavernous 1,500 litres in the long wheelbase VIP model, loaded to the roof (see the Technical Specifications section for individual model values).

The dashboard design features clear, analogue dials and ergonomic switchgear. The driver enjoys excellent all-round visibility from the elevated, SUV-like driving position and use of a short-throw gear lever mounted close to the flat-bottom steering wheel. Versions equipped with automatic transmission have a stylish rotary gear selector positioned on the centre console.

The cabin environment is light and spacious, qualities enhanced by the two-section Multifunction roof available for Family and VIP models. There is a wealth of storage points around the cabin, including door boxes, dashboard and sliding door cubbies, and cupholders, with a combined capacity of 58.5 litres.

Although Proace Verso has been developed alongside Toyota's Proace Van, careful attention has been paid to delivering the levels of quietness and refinement expected of an MPV. The extensive measures include generous soundproofing in strategic locations, thicker window glass and a multi-layer acoustic windscreen.

## Grade Structure and Seating Formats

There are three grades in the Proace Verso range: Shuttle, Family and VIP. Shuttle is available in medium or long body sizes; Family in compact or medium; and VIP in long.

The target customer for the **Shuttle** is typically a self-employed person who needs the space and seating for business or family use. It comes with low running costs and is fitted out with nine seats (including driver). The cloth-upholstered seats can be removed from the vehicle and have tilt and tumble functions for easy access. The driver's seat has height-adjustment and lumbar support.

Other standard equipment features include power windows, dark-tinted rear windows, dusk-sensing headlights, front fog lights, cornering lights, rain-sensing windscreen wipers, removable seats, electrically adjustable, heated door mirrors and body colour-matched bumpers and door handles. The tailgate has a heater and rear wiper system. In the cabin there are curtain airbags, a multi-function roof and automatic (front/rear) air conditioning.

The Toyota Pro-Touch seven-inch touchscreen (option on Shuttle, standard on other grades) is the hub for the vehicle's infotainment system, giving clear and simple control of the eight-speaker audio with DAB tuner and satellite navigation system. Smartphones can be integrated using Bluetooth, with connectivity also available via an Aux-in socket and USB port. Vinyl seat upholstery and the Toyota Safety Sense package (detailed below) can be specified as options.

The **Family** grade focuses on space, modularity and comfort for leisure users. Its eight-seat layout features rail-mounted, sliding and removable rear seats, with 60:40 split second and third rows, giving an extra dimension of flexibility and practicality. Second row passengers benefit from aeroplane-style seatback tables, and all six rear seats are equipped with Isofix child seat anchors.

Additional equipment features to the Shuttle specification include a fully carpeted floor, a luggage cover and net, side window sunshades, an auto-dimming rear-view mirror and additional child mirror, 17-inch alloy wheels, keyless entry with push-button start, satellite navigation, an opening tailgate window and a folding function for the door mirrors. The Toyota Safety Sense package is also provided as standard on the Family-spec' models.

Customers can give their Family model a comprehensive upgrade with the optional Verso Premium Pack, which adds many premium equipment features, including leather seat upholstery, power-adjustable front seats with integrated heaters and massage function,

driver's lumbar support, a two-section multifunction roof and nine-speaker hi-fi surround system that includes a 188W amplifier and a bass box located beneath the front passenger seat.

The **VIP** is designed for use as executive transport and comes with appropriately high equipment specification and comfort levels. It accommodates seven, with heated seats for the driver and front passenger. As on the Family model, the rail-mounted second and third row seats can be slide-adjusted, or removed altogether; the second row seats are captain-style and can be rotated through 180 degrees to create a more informal cabin arrangement. There is also an occasional rear lounge table with folding sections, again mounted on rails for easy adjustment. Key equipment features include welcome illumination, smart entry and start, xenon headlamps with washers, front passenger seat height and lumbar adjustment, rear parking sensors and power sliding side doors with a hands-free opening function. The doors can also be operated using the key fob, interior and exterior handles and buttons on the dashboard and inside the centre pillar.

### **Powertrains**

The front-wheel drive Proace Verso is available with a choice of three powertrains featuring 1.5 and 2.0-litre multivalve turbodiesel engines that all feature efficient stop-and-start technology.

The 118bhp/88kW 1.5-litre engine uses a six-speed manual gearbox. CO<sub>2</sub> emissions are from 127g/km (NEDC correlated data) with combined cycle fuel economy from 40.07 to 47.08mpg (WLTP data).

The 148bhp/110kW 2.0-litre unit also makes use of a six-speed manual transmission and generates from 142g/km of CO<sub>2</sub> (NEDC correlated data); the official (WLTP) fuel economy figure is from 36.12 to 41.91mpg (medium and long wheelbase). A 174bhp/130kW version of the 2.0 engine completes the UK range, matched to an eight-speed automatic transmission. It produces from 159g/km CO<sub>2</sub> emissions (NEDC correlated) and returns from 35.49 to 40.6mpg in official combined cycle testing (WLTP data).

The engines all comply with Euro 6 emissions regulations with the use of AdBlue diesel additive, contained in a 22.4-litre tank, easily accessed via a filler inlet set into the centre pillar.

### **Safety**

Family and VIP versions of Proace Verso benefit from a Toyota Safety Sense package (optional for Shuttle grade), equipping the vehicle with active safety and driver assistance technologies designed to help prevent an accident happening, or mitigating the consequences of an impact. The package includes Pre-Collision System with pedestrian detection, Adaptive Cruise Control. The package also provides a head-up display, colour TFT multi-information display and dashboard storage.

The cabin is fitted with up to eight airbags and all Proace Verso are equipped with ABS with brake assist and vehicle stability control.

### Proace Verso model range

In the UK the Shuttle grade is available with the Medium body length and the 1.5-litre 118bhp and 2.0-litre 148bhp engines. The Family model can be specified with Compact or Medium body lengths with either of the 2.0-litre engines. The Proace Verso VIP is offered exclusively with the Long body and the 174bhp version of the 2.0-litre engine.

### Servicing and warranty

Proace Verso is protected by Toyota's five-year/100,000 mile new vehicle warranty. Service intervals are up to two years or 25,000 miles for all models, apart from those with the 174bhp 2.0-litre engine which require servicing annually or at every 20,000 miles.

GRADE	LENGTH	POWERTRAIN
Shuttle	Medium	1.5D 118bhp 6MT
Shuttle	Medium	2.0D 148bhp 6MT
Shuttle	Long	2.0D 148bhp 6MT
Family	Compact	2.0D 148bhp 6MT
Family	Compact	2.0D 174bhp 8AT
Family	Medium	2.0D 148bhp 6MT
Family	Medium	2.0D 174bhp 8AT
VIP	Long	2.0D 174bhp 8AT

### PROACE VERSO TIMELINE AND UK SALES

YEAR	MONTH	EVENT
2012	October	Toyota announces the new Proace medium duty van, developed in a co-operative project with the PSA Group.

2015	December	Toyota and PSA Group announce they will co-operate on new LCV models, plus a new Proace Verso MPV passenger vehicle.
2016	March	Proace Verso is unveiled at the Geneva motor show.
	April	Proace Verso makes its UK debut at the Commercial Vehicle Show in Birmingham.
	November	Start of UK sales. Range features compact and medium wheelbase models in Shuttle, Family and VIP trim.
2018	July	The 1.6-litre diesel engine is replaced with a 1.5-litre unit.

UK sales in 2017: 289

Cumulative UK sales since launch (2016): 306

## TOYOTA PROACE VERSO EQUIPMENT SPECIFICATIONS

<b>SAFETY</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
ABS with brake assist	✓	✓	✓
Vehicle Stability Control	✓	✓	✓
Driver and front passenger airbags	✓	✓	✓
Hill-start Assist Control	✓	✓	✓
Cruise control and speed limiter	✓	✓	✓
Tyre pressure monitor system	✓	✓	✓
Toyota Safety Sense: including Adaptive Cruise Control, Pre-Collision System with pedestrian detection, head-up display and colour TFT multi-information display	Opt	✓	✓
<b>SECURITY</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
Full alarm system	✓	✓	✓
<b>INSTRUMENTS AND CONTROLS</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
Rain-sensing wipers	✓	✓	✓
Dusk-sensing headlights	✓	✓	✓
Steering wheel with integrated controls	✓	✓	✓
<b>COMFORT AND CONVENIENCE</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
Electric, heated door mirrors	✓	✓	✓
Power windows	✓	✓	✓
Air conditioning – auto front, manual rear*	✓	✓	✓
Multi-function roof* with air vents, ambient lighting and a/c controls	✓	✓	✓
Multifunction roof with twin glazed sections with separate sunshade curtains	x	Opt**	✓
Welcome lighting system	x	x	✓
Sunshade curtain	x	✓	✓
Luggage cover net	x	✓	✓
Cooled glovebox	x	✓	✓
<b>MEDIA AND ENTERTAINMENT</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
Toyota Pro-Touch 7in touchscreen control	x	✓	✓
Bluetooth	✓	✓	✓
Smartphone integration	✓	✓	✓
Aux-in and USB port	✓	✓	✓

Satellite navigation	x	✓	✓
Hi-fi surround system	x	Opt**	✓
<b>SEATING, UPHOLSTERY AND TRIM</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
9 seats	✓	x	x
8 seats	x	✓	x
7 seats	x	x	✓
Height-adjustable driver's seat with lumbar support	✓	✓	✓
Height-adjustable front passenger seat with lumbar adjustment	x	Opt**	✓
Power front seat adjustment	x	Opt**	✓
Heated front seats	x	Opt**	✓
Captain-style second-row seats	x	x	✓
Front seat massage function	x	Opt**	✓
Removable, fixed-position rear seats with tilt and tumble functions	✓	x	x
Removable rear seats on adjustable rail system with tilt function	x	✓	✓
Folding lounge table on adjustable rail system	x	x	✓
Front seatback airline-style tables	x	✓	✓
Dark grey cloth seat upholstery with vinyl trim	✓	✓	x
Vinyl seat upholstery	Opt	x	x
Leather seat upholstery	x	Opt**	✓
Carpeted floor and mats	x	✓	✓
Anodised bronze dashboard inserts	x	✓	x
Brushed aluminium dashboard inserts	x	x	✓
<b>EXTERIOR</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
16in wheels with full wheel covers	✓	x	x
17in alloy wheels	x	✓	✓
Body-coloured bumpers, side protection strips and door mirrors	✓	✓	✓
Body-colour door handles	✓	x	x
Chrome door handles	x	✓	✓
Power side doors with sensor operation	x	x	✓
Dark-tinted rear windows	✓	✓	✓

Glazed tailgate with heated screen	✓	✓	✓
Opening tailgate glass	✗	✓	✓
Multifunction roof	✗	Opt**	✓
Xenon headlamps with washers	✗	✗	✓
LED daytime running lights	✗	✗	✓
Front fog lights	✓	✓	✓
Cornering lights	✓	✓	✓
<b>OPTION PACKS</b>	<b>SHUTTLE</b>	<b>FAMILY</b>	<b>VIP</b>
Premium Pack: leather seat upholstery, power adjustable heated front seats, driver's seat lumbar support, seat massage function, multifunction roof and audio surround system	✗	✓	✗

\* Not available on Compact models; \*\*as part of the Premium Pack

## TOYOTA PROACE VERSO TECHNICAL SPECIFICATIONS

<b>POWERTRAIN</b>				
		<b>1.5 diesel</b>		
Type	Four cylinders in line			
Displacement (cc)	1,499			
Compression ratio	16.5:1			
Bore x stroke (mm)	75 x 84.8			
Valve mechanism	8-valve DOHC			
Max. power (bhp/kW @ rpm)	118/88 @ 3,500			
Max. torque (Nm @ rpm)	300 @ 1,750			
		<b>2.0 Diesel</b>		
Type	Four cylinders in line		Four cylinders in line	
Displacement (cc)	1,997		1,997	
Compression ratio	16.7:1		16.7:1	
Bore x stroke (mm)	85.0 x 88.0		85.0 x 88.0	
Valve mechanism	16-valve DOHC		16-valve DOHC	
Max. power (bhp/kW @ rpm)	148/110 @ 4,000		174/130 @ 3,750	
Max. torque (Nm @ rpm)	370 @ 2,000 – 2,500		400 @ 2,000 – 2,500	
<b>PERFORMANCE</b>		<b>1.5D 118bhp</b>	<b>2.0D 148bhp</b>	<b>2.0D 174bhp</b>
Max. speed (mph)	99		113	114
0-62mph acceleration (sec)	12.0		13.0	8.8
<b>FUEL CONSUMPTION, CO<sub>2</sub> EMISSIONS &amp; INSURANCE</b>		<b>1.5D 118bhp</b>	<b>2.0D 148bhp</b>	<b>2.0D 174bhp</b>
Fuel consumption – combined, WLTP data (mpg)	Compact	n/a	36.10 – 41.89	35.51 – 40.60
	Medium	40.07 – 47.08	36.12 – 41.91	35.51 – 40.60
	Long	n/a	36.12 – 41.91	35.49 – 40.60
CO <sub>2</sub> emissions – combined, NEDC correlated data (g/km)		127	145 Shuttle medium & long 142 Family Compact 144 Family Medium	166 VIP 159 Family Compact & Medium
Insurance groups		21E – 23E		
<b>TRANSMISSION</b>		<b>1.5D 118bhp</b>	<b>1.6D 148bhp</b>	<b>2.0D 174bhp</b>
Type	6MT		6MT	8AT
Gear ratios	1 <sup>st</sup>	7.47	7.54	8.21
	2 <sup>nd</sup>	14.27	14.39	14.24
	3 <sup>rd</sup>	23.34	23.54	22.11

	4 <sup>th</sup>	33.13	33.42	30.37
	5 <sup>th</sup>	41.37	41.73	36.70
	6 <sup>th</sup>	50.33	50.76	45.32
	7 <sup>th</sup>	-	-	56.50
	8 <sup>th</sup>	-	-	67.33
<b>BRAKES</b>				
Front		Ventilated discs		
Rear		Solid discs		
<b>STEERING</b>		<b>COMPACT</b>	<b>MEDIUM</b>	<b>LONG</b>
Type		Electro-hydraulic, rack and pinion		
Turning circle (m)	Tyre	11.3	12.4	12.4
	Body	11.8	12.9	12.9
<b>SUSPENSION</b>				
Front		MacPherson-type with anti-roll bar, variable stiffness springs and load-adaptive shock absorbers		
Rear		Wishbones with trailing arms, variable stiffness springs and load-adaptive shock absorbers		
<b>DIMENSIONS</b>		<b>COMPACT</b>	<b>MEDIUM</b>	<b>LONG</b>
Overall length (mm)		4,609	4,959	5,309
Overall width (mm)		1,920	1,920	1,920
Overall height (mm)		1,910	1,910	1910
Wheelbase (mm)		2,925	3,275	3,275
Loadspace length (mm)	Shuttle 9 seats up	N/A	608	958
	Shuttle 6 seats up	N/A	1,488	1,838
	Family 8 seats up	282	627	N/A
	Family 5 seats up	1,242	1,497	N/A
	VIP 7 seats up	N/A	N/A	958
	VIP 4 seats up	N/A	N/A	1,838
	VIP 2 seats up	N/A	N/A	2,763
Luggage capacity – loaded to top of seats/loaded	Shuttle 9 seats up	N/A	700/507	912/1,237
	Shuttle 6 seats up	N/A	950/1,600	2,000/2,250
	Family 8 seats up	224/ -	603/798	N/A

to roof (VDA l)	Family 5 seats up	750/1,350	1,000/1,750	N/A
	VIP 7 seats up	N/A	N/A	912
	VIP 4 seats up	N/A	N/A	1,950

END

Ref:181227DM