TOYOTA PROACE VAN

Toyota extended customer choice and opened up a new market proposition with its range of Proace Vans. A choice of three grades, three body sizes and two wheelbase lengths are available, together with different body styles that take Proace into all areas of the medium duty van (MDV) segment.

A combi version seating up to nine and a platform cab ready for conversions are also available in a range that greatly extends the model's established market reach. The Crew Cab provides a useful balance of extra seating – a rear three-seat bench – plus practical load space.

The UK range features 101bhp/75kW and 118bhp/88kW 1.5-litre diesel engines (badged 1.5D 100 and 120) and 142bhp/106kW and 174bhp/130kW 2.0-litre units (badged 2.0D 140 and 180). All feature six-speed manual transmission, apart from the 180 which uses an eight-speed automatic.

Specification highlights include three front seats and the availability of a Smart Cargo system, which features an opening bulkhead and lifting front passenger seat base to increase load length capacity by 1,162mm and overall load volume by an extra half a cubic metre.

UK range

GRADE	BODY STYLE	BODY LENGTH	POWERTRAIN
Active	Panel van	Medium	1.5D 100 6MT
Active	Panel van	Medium	1.5D 120 6MT
Active	Panel van	Medium	2.0D 140 6MT
Active	Panel van	Long	2.0D 140 6MT
Icon	Panel van	Medium	1.5D 120 6MT
Icon	Panel van	Medium	2.0D 140 6MT
Icon	Panel van	Long	2.0D 140 6MT
Design	Panel van	Medium	2.0D 140 6MT
Design	Panel van	Medium	2.0D 180 8AT
Icon	Crew cab	Medium	2.0D 140 6MT

Icon	Crew cab	Long	2.0D 140 6MT
Design	Crew cab	Medium	2.0D 140 6MT
Design	Crew cab	Medium	2.0D 180 8AT
Design	Crew cab	Long	2.0D 140 6MT
Design	Crew cab	Long	2.0D 180 8AT
Combi		Medium	1.5D 120 6MT

Design and Packaging

Proace Van's strong frontal design clearly marks it out as a member of the contemporary Toyota family. It is available in a choice of two body sizes: Medium and Long.

The Medium version is 4,959mm long and has a 3,275mm wheelbase. The Smart Cargo system combines an opening front bulkhead with a lifting front passenger seat base mechanism, increasing the maximum load length to 3.67m and total load volume to 5.8m³. It also creates additional storage space in the cabin.

The medium-length Proace Van is available in Panel, Crew Cab, Glass Van, Combi and Platform Cab versions.

The Long version of Proace Van has the same 3,275mm wheelbase, but with an extended rear overhang that takes overall vehicle length to 5,309mm. The cargo area measures 2,862mm long and 1,628mm wide, giving a load volume of 6.1m³. Here the Smart Cargo system in the panel vans takes maximum load length to 4,026mm, increasing load capacity to 6.6m³.

With each vehicle length, Proace Van benefits from left and right side sliding doors and sidehinged rear double doors that open to 180 degrees. Maximum payload is up to 1,400kg and the braked trailer towing capacity is up to 2,500kg. The side door aperture is wide enough for Euro pallets to be loaded.

The cabin is robust, functional and spacious, designed to meet the needs of both commercial and private owners. The dashboard features clear instrumentation and analogue dials with ergonomic switchgear. The driving position is car-like and affords excellent visibility, with a short-throw gear lever mounted close to the steering wheel.

UK grade structure, equipment and options

Proace Van is available in three equipment grades: Active, Icon and Design. The Combinine-seater (classed as a passenger vehicle in the UK) has its own, dedicated specification.

The Active grade provides the Smart Cargo system, central remote locking with deadlocks, alarm, cruise control with speed limiter, fabric seat upholstery, driver and front passenger airbags, air conditioning, power windows and door mirrors, four-speaker audio system with radio, DAB, USB port and Bluetooth, smartphone integration (Apple CarPlay and Android Auto) and a tyre pressure monitor.

Icon grade adds more sophisticated cabin acoustic treatments for a quieter environment, including an acoustic windscreen, driver's seat height adjustment, air conditioning, a cooled and illuminated glovebox and additional 12V power outlets in the glovebox and cargo area. full wheel covers, satellite navigation and a dashboard information display are also included in the specification.

Design grade is distinguished by chrome side bars, body-colour bumpers and door mirror casings, front fog lights and 17-inch alloys. It also provides the Toyota Pro Touch multimedia system plus front parking sensors, a blind spot monitor, auto-folding door mirrors and keyless entry. Toyota Safety Sense is also part of the specification, equipping the Proace with a Pre-Collision System with pedestrian detection and Adaptive Cruise Control.

The standard specification for the nine-seat Combi includes three front seats, six further seats in two rows, driver's seat armrest, driver and passenger front airbags, air conditioning, cloth upholstery, central locking, cruise control with speed limiter, 12V dashboard power outlet, 16-inch steel wheels, tyre pressure monitor, power windows, twin sliding side doors, glazed rear doors, Vehicle Stability Control and Hill-start Assist Control. The powertrain features the 120bhp 1.5D turbodiesel engine with stop and start and a six-speed manual transmission.

A tailgate can be specified in place of the twin rear doors on medium and long Comfort versions of the Proace Van (excepting the 94bhp 1.6 diesel version).

Powertrains

Proace Van is available with 1.5 and 2.0-litre diesel engines with a range of power outputs and choice of different transmissions.

The 101bhp/75kW (badged 100hp) version of the 1.5 unit is matched to a six-speed manual gearbox and produces 270Nm of torque, while a 118bhp/88kW (badged 120hp) version of the same engine musters a maximum 300Nm of torque.

The 142bhp/106kW 2.0-litre turbodiesel engine (badged 140hp) is recommended for vans carrying higher payloads, thanks to its higher torque – a maximum 340Nm. The more powerful, 174bhp/130kW, version of the 2.0-litre diesel (badged 180hp) is equipped with eight-speed automatic transmission as standard.

All powertrains are equipped with selective catalytic reduction to reduce the amount of NOx released into the atmosphere. Details of fuel consumption and CO₂ emissions are provided in the technical specifications table below.

A 22.5-litre tank of AdBlue ensures the system will work to its optimum capability for about 9,300 miles (15,000km), with usage varying according to driving style and conditions. The tank is easy to refill, via a filler inlet on the inside of the centre pillar, accessible when the driver's door is open.

Up to 10 years/100,000 miles warranty

In common with every new Toyota, Proace is eligible for Toyota warranty protection for up to 10 years or 100,000 miles (whichever comes first). This comprises an initial three-year manufacturer warranty, followed by up to a further seven years of service-activated warranty.

For the first three years of the car's life, owners can have it serviced at a place of their choice. When the new car warranty period expires, they can then benefit from an additional 12 months (or 10,000 miles) warranty when their vehicle has a qualifying service at an authorised Toyota workshop. The warranty is provided at no extra cost, up to a limit of 10 years/100,000 miles. Terms and conditions apply; full details are available at <u>www.toyota.co.uk</u>.

In common with all other Toyota Professional light commercial vehicles, new Proace models come with five years' free roadside assistance.

PROACE VAN TIMELINE AND UK SALES

YEAR	MONTH	EVENT
2012	October	Toyota announces the new Proace medium duty van, developed
		in a co-operative project with the PSA Group.
2013	April	UK range, specifications and pricing are announced.
	July	Official start of UK sales.
2015	December	Toyota and PSA Group announce they will co-operate on new
		LCV models, including a new Proace Van and a Proace Verso
		MPV.
2016	April	The new Proace Van makes its world debut at the Commercial
		Vehicle Show in Birmingham. The line-up includes a new
		Compact version and new 1.6 and 2.0-litre diesel engines. UK
		model range, specifications and prices are announced.
	July	Official start of UK sales of new Proace Van.
	December	Proace is named What Van? LCV of the Year.
2018	October	New grade structure introduced – Active, Icon and Design.
		Introduction of more powerful, 174bhp 2.0-litre engine with
		automatic transmission.
2019	Мау	Proace adopts a new 118bhp 1.5D engine with six-speed
		manual transmission.
2021	August	Smart Cargo made standard on all Proace Van models.
	October	2.0-litre 120 engine is upgraded to 140 (142bhp).
2022	January	2.0-litre 180 engine with eight-speed automatic is added to the
		range.
	December	2023 Proace models gain Apple CarPlay/Android Auto
		smartphone integration as standard.

Sales in UK markets in 2022: 1,453

Cumulative UK sales since launch (2013): 14,532

TOYOTA PROACE VAN TECHNICAL SPECIFICATIONS

POWERTRAIN						
	1.5 die	1.5 diesel 100 1.5 diesel 120				
Туре	Four cylinders in-line					
Capacity (cc)	1,499					
Bore x stroke (mm)		75.0 x	84.8			
Compression ratio		16.	5:1			
Fuel injection system		Common rail dies	el direct injectio	n		
Max. power (bhp/DIN hp/kW @	101/102/7	75 @ 3,500	118/120/8	8 @ 3,500		
rpm)						
Max. torque (Nm @ rpm)	270 @	2,000	300 @	2,000		
	2.0 die	esel 140	2.0 die	sel 180		
Туре		Four cylind	lers in-line			
Capacity (cc)		1,9	97			
Bore x stroke (mm)		85.0 x	88.0			
Compression ratio		16.	7:1			
Fuel injection system		Common rail dies	el direct injectio	n		
Max. power (bhp/DIN hp/Kw @	142/144/	106 @ 3,750	174/177/	130 @ 3,750		
rpm)						
Max. torque (Nm @ rpm)	340	@ 2,000	400 (@ 2,000		
PERFORMANCE	1.5D 100	1.5D 120	2.0D 140	2.0D 180		
Max. speed (mph)	90	99	105	105		
0-62mph (sec)	tbc	12.0	12.5	8.5		
FUEL CONSUMPTION (mpg,						
TOLL CONSOMPTION (Inpg,	1.5D 100	1.5D 120	2.0D 140	2.0D 180		
WLTP)	1.5D 100	1.5D 120	2.0D 140	2.0D 180		
	1.5D 100 39.19 –	1.5D 120 39.19 – 42.16	2.0D 140 -	2.0D 180 -		
WLTP)			2.0D 140 -	2.0D 180 -		
WLTP)	39.19 –		2.0D 140 - 35.7 – 37.66	2.0D 180 - -		
WLTP) Active Medium	39.19 –		-	2.0D 180 - - -		
WLTP) Active Medium Active Long	39.19 – 42.16 -	39.19 – 42.16 -	- 35.7 - 37.66	2.0D 180 - - -		
WLTP) Active Medium Active Long Icon Medium	39.19 – 42.16 - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 - 37.66 37.0 - 38.17	2.0D 180 - - - 35.7 – 38.7		
WLTP) Active Medium Active Long Icon Medium Icon Long	39.19 – 42.16 - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 – 37.66 37.0 – 38.17 35.7 -38.17	-		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium	39.19 – 42.16 - - - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 – 37.66 37.0 – 38.17 35.7 - 38.17 35.7 – 38.17	-		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium Icon Crew Cab Medium	39.19 – 42.16 - - - - - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 - 37.66 37.0 - 38.17 35.7 - 38.17 35.7 - 38.17 35.7 - 37.66	-		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium Icon Crew Cab Medium Icon Crew Cab Long	39.19 – 42.16 - - - - - - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 – 37.66 37.0 – 38.17 35.7 – 38.17 35.7 – 38.17 35.7 – 37.66 35.7 – 37.66	- - - 35.7 – 38.7 - -		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium Icon Crew Cab Medium Icon Crew Cab Medium Design Crew Cab Medium	39.19 – 42.16 - - - - - - -	39.19 - 42.16 - 39.19 - 42.16	- 35.7 – 37.66 37.0 – 38.17 35.7 – 38.17 35.7 – 38.17 35.7 – 37.66 35.7 – 37.66	- - - 35.7 - 38.7 - - 35.7 - 38.17		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium Icon Crew Cab Medium Icon Crew Cab Long Design Crew Cab Long	39.19 – 42.16 - - - - - - -	39.19 - 42.16 - 39.19 - 42.16 - - - - - - - - - - - -	- 35.7 - 37.66 37.0 - 38.17 35.7 - 38.17 35.7 - 38.17 35.7 - 37.66 35.7 - 37.66 35.7 - 37.66 35.7 - 37.17 -	- - - 35.7 - 38.7 - - 35.7 - 38.17		
WLTP) Active Medium Active Long Icon Medium Icon Long Design Medium Icon Crew Cab Medium Icon Crew Cab Long Design Crew Cab Long Combi	39.19 – 42.16 - - - - - - -	39.19 - 42.16 - 39.19 - 42.16 - - - - - - 40.87 - 44.14	- 35.7 - 37.66 37.0 - 38.17 35.7 - 38.17 35.7 - 38.17 35.7 - 37.66 35.7 - 37.66 35.7 - 37.66 35.7 - 37.17 - 9	- - 35.7 - 38.7 - 35.7 - 38.17		

Active Medium		175	175	-	-		
Active Long		-	-	195	-		
Icon Medium		-	175	194	-		
Icon Long		-	-	196	-		
Design Medium		-	-	195	192		
Icon Crew Cab N	<i>l</i> ledium	-	-	196	-		
Icon Crew Cab L	ong	-	-	197	-		
Design Crew Ca	b Medium	-	-	197	194		
Design Crew Ca	b Long	-	-	198	201		
Combi		-	169	-	-		
TRANSMISSION	N	1.5D 100	1.5D 120	2.0D 140	2.0D 180		
Туре		6MT	6MT	6MT	8AT		
BRAKES			ł	1 1			
Front			Ventilate	ed discs			
Rear			Solid	discs			
STEERING		Ме	dium	Lo	ng		
Туре		Electro-hydraulic, rack and pinion					
Turning circle	Tyre	1	2.4	12	12.4		
(m)	Body	1	12.9 12.9				
SUSPENSION							
Front		MacPherson	-type with anti-rol	l bar, variable stif	fness springs		
			and load-adaptive	shock absorbers	6		
Rear		Wishbones	with trailing arms,	variable stiffness	springs and		
		load-adaptive shock absorbers					
EXTERIOR DIM	ENSIONS	MEDIUM	CREW CAB		AB LONG		
			MEDIUM	LONG			
Overall length (n		4,959	4,959	5.309	5,309		
	excluding door	1,920	1,920	1,920	1,920		
mirrors (mm)							
	including door	2,204	2,204	2,204	2,204		
mirrors (mm)							
Overall height (n	nm)	1,899	1,899	1,940	1,940		
		1.940	1,940				
Wheelbase (mm		3,275	3,275	3,275	3,275		
Front track (mm)		1,630	1,630	1,630	1,630		
Rear track (mm)		1,618	1,618	1,618	1,618		
Front overhang	Front overhang (mm)		0.04	881	881		
Rear overhang (, , ,	881	881 803	1,153	1,153		

LOAD AREA	DAREA DIMENSIONS MEDIUM CREW CAB		B CREW C	AB LONG	
			MEDIUM	LONG	3
Floor load len	igth (mm)	2,512	1,488	1,838	2,862
Floor load len	igth with Smart	3,674	n/a	n/a	4,026
Cargo (mm)					
Mid-height loa	ad length (mm)	2,185	1,700	Tbc	2,535
Max. load hei	ght (mm)	1,397	1,337	1,339	1,397
Max. load wid	Ith between sides	1,636	1,618	1,618	1,636
(mm)					
Max. load wid	Ith between wheel	1,258	1,258	1,258	1,258
arches (mm)					
Sliding side d	oor max. opening	1,258	1,258	1,258	1,258
height (mm)					
Sliding side d	oor max. opening	1,282	1,282	1,282	1,282
width (mm)					
Load area vo	(),	5.3	3.2	4.0	6.1
Load area vo	lume with Smart	5.8	n/a	n/a	6.6
Cargo (m ³)					
WEIGHTS		1.5D 100	1.5D 120 6MT	2.0D 140 6MT	2.0D 180 8AT
		6MT			
Gross	Medium	2,635	2,660	3,100	2,760
vehicle					
weight (kg)					
	Medium Combi	n/a	2,755	n/a	n/a
	Medium Crew	n/a	n/a	3,030	2,830
	Cab				
	Long	n/a	n/a	3,100	n/a
	Long	n/a	n/a	3,030	3,000
	Crew Cab				
Min. kerb	Medium	1,660	1,581	1,654	1,681
weight (kg)					
	Medium Combi	n/a	1,660	n/a	n/a
	Medium Crew	n/a	n/a	1,770	1,770
	Cab				
	Long	n/a	n/a	1,692	n/a
	Long	n/a	n/a	1,770	1,816
	Crew Cab				

Max, towing	Medium	1,400	1,800	2,500	2,300		
capacity –							
braked (kg)							
	Medium Combi	n/a	1,800	n/a	n/a		
	Medium Crew	n/a	n/a	2,500	2,070		
	Cab						
	Long	n/a	n/a	2,500	n/a		
	Long	n/a	n/a	2,500	2000		
	Crew Cab						
Max, towing	Medium	750	750	750	750		
capacity –							
unbraked							
(kg)							
	Medium Combi	n/a	750	n/a	n/a		
	Medium Crew	n/a	n/a	750	750		
	Cab						
	Long	n/a	n/a	750	n/a		
	Long	n/a	n/a	750	750		
	Crew Cab						
WHEELS & T	YRES						
Wheel type ar	nd size	16 or 17in steel or 17in alloy					
Tyre size			215/65R16 or 215/60R17				

These specifications are provided as a guide for media only. Customers wishing to confirm the specification of a specific vehicle should check with their Toyota centre or visit Toyota.co.uk.

TOYOTA PROACE VAN EQUIPMENT SPECIFICATIONS

SAFETY	ACTIVE	COMBI	IC	ICON		DESIGN	
	Van		Van	Crew	Van	Crew	
ABS with Brake Assist	~	✓	~	✓	✓	~	
Vehicle Stability Control	✓	\checkmark	✓	✓	\checkmark	~	
Hill-start Assist Control	~	\checkmark	✓	✓	\checkmark	~	
Driver and double passenger	✓	✓	✓	✓	~	 ✓ 	
front airbags							
Front side airbags	×	\checkmark	×	✓	×	~	
Front passenger airbag off	~	\checkmark	✓	✓	\checkmark	~	
switch							
Tyre pressure monitoring	✓	\checkmark	~	✓	\checkmark	~	
system							
Toyota Safety Sense: Pre-	×	×	×	×	\checkmark	~	
Collision System with							
pedestrian detection, Adaptive							
Cruise Control							
Blind Spot Monitor	×	×	×	×	\checkmark	~	
SECURITY	ACTIVE	COMBI	IC	ON	DESIGN		
	Van		Van	Crew	Van	Crew	
Transponder immobiliser	~	~	✓	✓	~	~	
Locking fuel filler cap	~	✓	✓	✓	~	~	
Deadlocks	✓	\checkmark	✓	✓	~	~	
Remote central locking	✓	✓	✓	✓	~	 ✓ 	
Full Alarm System – anti-	✓	✓	~	✓	✓	~	
tamper/glass breaking/motion							
sensor							
STORAGE	ACTIVE	COMBI	IC	ON	DES	SIGN	
	Van		Van	Crew	Van	Crew	
Cooled glovebox with light	×	×	Opt	Opt	✓	 ✓ 	
Open dashboard upper storage	✓	✓	~	✓	✓	Opt	
space							
Storage under passenger's	×	×	×	✓	×	 ✓ 	
bench							
Storage under rear passenger	×	×	×	✓	×	 ✓ 	
bench							

MULTIMEDIA &	ACTIVE	COMBI	IC	ON	DES	SIGN
INFORMATION	Van		Van	Crew	Van	Crew
4-speaker audio system with	~	~	 ✓ 	×	✓	×
RDS stereo DAB tuner						
8-speaker audio system with	×	×	×	✓	×	 ✓
RDS stereo DAB tuner						
Bluetooth	~	~	✓	✓	\checkmark	~
Aux-in	~	~	✓	✓	\checkmark	~
USB port	~	✓	✓	✓	\checkmark	✓
USB in rear cabin	×	×	×	✓	×	✓
Radio with DAB	✓	✓	~	✓	\checkmark	~
Colour TFT multi-information	×	×	Opt	Opt	\checkmark	~
display						
Pro Touch multimedia system	×	×	~	✓	\checkmark	✓
with 7in display						
Smartphone integration via	~	~	~	✓	\checkmark	~
Apple CarPlay and Android						
Auto						
Satellite navigation	×	×	✓	✓	\checkmark	~
WiFi and voice recognition	×	×	Opt	Opt	\checkmark	~
COMFORT & CONVENIENCE	ACTIVE	COMBI	IC	ON	DES	BIGN
	Van		Van	Crew	Van	Crew
Air conditioning	\checkmark	\checkmark	✓	✓	\checkmark	✓
Power windows	~	~	✓	✓	\checkmark	~
Automatic headlights	×	×	~	✓	\checkmark	~
Headlight levelling	~	~	✓	✓	\checkmark	~
Reach and rake steering wheel	~	~	✓	✓	\checkmark	~
adjustment						
Power steering	~	~	~		\checkmark	
Cruise control with speed	~	~	✓	✓	\checkmark	Opt
limiter						
12V power socket in glove box	×	~	✓	✓	\checkmark	~
12V power socket on	~	×	×	×	×	×
dashboard						
Rear passenger personal lights	×	×	×	✓	×	~
Keyless entry	×	×	×	×	√	✓

Rear parking sensors	×	×	✓	✓	✓	 ✓
Front parking sensors	×	×	×	×	\checkmark	~
SEATING	ACTIVE	COMBI ICON DESIGN		SIGN		
	Van		Van	Crew	Van	Crew
Height-adjustable driver's seat	Opt	Opt	✓	✓	\checkmark	 ✓
Driver's seat lumbar support	Opt	×	✓	✓	\checkmark	~
Height-adjustable front	✓	✓	✓	✓	\checkmark	 ✓
headrests						
Front passenger bench (seats	✓	✓	✓	✓	\checkmark	 ✓
two)						
Second row bench (seats	×	~	×	✓	×	~
three)						
Driver's arm rest	~	~	~	✓	√	~
Dark grey cloth/PVC upholstery	✓	~	✓	×	\checkmark	×
Dark grey cloth upholstery	×	Opt	×	Opt	×	Opt
Full plastic floor lining	×	~	Opt	×	Opt	×
EXTERIOR	ACTIVE	COMBI	IC	ON	DESIGN	
	Van		Van	Crew	Van	Crew
Daytime running lights	~	~	~	✓	✓	 ✓
Twin rear panel doors – 180°	✓	~	✓	✓	✓	✓
opening						
Glazed tailgate with heated	×	✓	Opt	×	Opt	×
rear screen						
Right and left sliding panel	✓	~	✓	✓	\checkmark	~
doors						
Electric, heated door mirrors	✓	✓	✓	✓	\checkmark	 ✓
Auto-folding door mirror	×	×	×	×	\checkmark	 ✓
function						
Thermal insulated windscreen	×	×	×	×	Opt	 ✓
Acoustic windscreen	×	×	~	✓	\checkmark	 ✓
Smoke-tinted rear passenger	~	✓	~	×	\checkmark	×
windows						
Dark-tinted rear passenger	×	×	×	✓	×	 ✓
windows						
1						1
Black bumpers and door	~	~	~	✓	×	×

Body-coloured bumpers and	×	×	×	×	\checkmark	 ✓
door mirrors						
Black side protection strips	✓	✓	✓	✓	×	×
Body coloured side protection	×	×	×	×	~	✓
strips						
Headlight cleaners	×	×	×	×	~	 ✓
Front fog lights	×	×	×	×	~	 ✓
Cornering lights	×	×	×	×	~	 ✓
Chrome side bars	×	×	×	×	√	✓
Fixed side windows (x2)	×	×	×	✓	×	 ✓
LOAD COMPARTMENT	ACTIVE	COMBI	IC	ON	DESIGN	
	Van		Van	Crew	Van	Crew
Steel bulkhead	✓	n/a	×	×	×	×
Steel bulkhead with window	Opt	n/a	\checkmark	\checkmark	\checkmark	\checkmark
	Ορι	n/a	v		•	
and grille	Ορι	n/a	v		•	
	γ	n/a	✓	n/a	✓	n/a
and grille				n/a ×	-	
and grille Smart Cargo system	√	n/a	✓ ✓		✓ ✓	n/a
and grille Smart Cargo system Light in load compartment	✓ ✓	n/a ×	✓ ✓	×	✓ ✓	n/a ×
and grille Smart Cargo system Light in load compartment	✓ ✓ ACTIVE	n/a ×	✓ ✓ IC	×	✓ ✓ DES	n/a ×
and grille Smart Cargo system Light in load compartment WHEELS	✓ ✓ ACTIVE Van	n/a × COMBI	✓ ✓ IC Van	× ON Crew	✓ ✓ DES Van	n/a × SIGN Crew
and grille Smart Cargo system Light in load compartment WHEELS 16" steel wheels	✓ ✓ ACTIVE Van ✓	n/a ≭ COMBI	✓ ✓ IC Van ×	× ON Crew ×	✓ ✓ DES Van ×	n/a × SIGN Crew ×
and grille Smart Cargo system Light in load compartment WHEELS 16" steel wheels 16in steel wheels with caps	✓ ✓ ACTIVE Van ✓ ×	n/a × COMBI ✓ ×	✓ ✓ IC Van × ✓	× ON Crew ×	✓ ✓ DES Van × ×	n/a × SIGN Crew ×

OPTION PACKS	ACTIVE	COMBI	ICON		DESIGN	
	Van		Van	Crew	Van	Crew
Premium Pack: colour TFT	×	×	Opt	Opt	\checkmark	✓
multi-information display,						
navigation, 7in multimedia						
display, ProTouch multimedia						
system, voice recognition,						
WiFi, Apple CarPlay/Android						
Auto, 17in machined-face alloy						
wheels, 215/60R17 rough						
road/summer tyres						

These specifications are provided as a guide for media only. Customers wishing to confirm the specification of a specific vehicle should check with their Toyota centre or visit Toyota.co.uk.

ENDS

Ref:230203M