

TOYOTA PROACE VAN TECHNICAL SPECIFICATIONS

POWERTRAIN				
	1.5 diesel 100		1.5 diesel 120	
Type	Four cylinders in-line			
Capacity (cc)	1,499			
Bore x stroke (mm)	75.0 x 84.8			
Compression ratio	16.5:1			
Fuel injection system	Common rail diesel direct injection			
Max. power (bhp/DIN hp/kW @ rpm)	101/102/75 @ 3,500		118/120/88 @ 3,500	
Max. torque (Nm @ rpm)	270 @ 2,000		300 @ 2,000	
	2.0 diesel 140		2.0 diesel 180	
Type	Four cylinders in-line			
Capacity (cc)	1,997			
Bore x stroke (mm)	85.0 x 88.0			
Compression ratio	16.7:1			
Fuel injection system	Common rail diesel direct injection			
Max. power (bhp/DIN hp/Kw @ rpm)	142/144/106 @ 3,750		174/177/130 @ 3,750	
Max. torque (Nm @ rpm)	340 @ 2,000		400 @ 2,000	
PERFORMANCE	1.5D 100	1.5D 120	2.0D 140	2.0D 180
Max. speed (mph)	90	99	105	105
0-62mph (sec)	tbc	12.0	12.5	8.5
FUEL CONSUMPTION (mpg, WLTP)	1.5D 100	1.5D 120	2.0D 140	2.0D 180
Active Medium	39.19 – 42.16	39.19 – 42.16	-	-
Active Long	-	-	35.7 – 37.66	-
Icon Medium	-	39.19 – 42.16	37.0 – 38.17	-
Icon Long	-	-	35.7 -38.17	-
Design Medium	-	-	35.7 – 38.17	35.7 – 38.7
Icon Crew Cab Medium	-	-	35.7 – 37.66	-
Icon Crew Cab Long	-	-	35.7 – 37.66	-
Design Crew Cab Medium	-	-	35.7 – 37.66	35.7 – 38.17
Design Crew Cab Long	-	-	35.7 – 37.17	35.7 – 36.69
Combi	-	40.87 – 44.14	-	-
Fuel tank capacity (l)	69			
Insurance groups	35E – 40E			
CO₂ EMISSIONS (WLTP, g/km)	1.5D 100	1.5D 120	2.0D 140	2.0D 180

Active Medium	175	175	-	-
Active Long	-	-	195	-
Icon Medium	-	175	194	-
Icon Long	-	-	196	-
Design Medium	-	-	195	192
Icon Crew Cab Medium	-	-	196	-
Icon Crew Cab Long	-	-	197	-
Design Crew Cab Medium	-	-	197	194
Design Crew Cab Long	-	-	198	201
Combi	-	169	-	-
TRANSMISSION	1.5D 100	1.5D 120	2.0D 140	2.0D 180
Type	6MT	6MT	6MT	8AT
BRAKES				
Front	Ventilated discs			
Rear	Solid discs			
STEERING	Medium		Long	
Type	Electro-hydraulic, rack and pinion			
Turning circle (m)	Tyre	12.4	12.4	
	Body	12.9	12.9	
SUSPENSION				
Front	MacPherson-type with anti-roll bar, variable stiffness springs and load-adaptive shock absorbers			
Rear	Wishbones with trailing arms, variable stiffness springs and load-adaptive shock absorbers			
EXTERIOR DIMENSIONS	MEDIUM	CREW CAB MEDIUM	CREW CAB LONG	LONG
Overall length (mm)	4,959	4,959	5,309	5,309
Overall width – excluding door mirrors (mm)	1,920	1,920	1,920	1,920
Overall width – including door mirrors (mm)	2,204	2,204	2,204	2,204
Overall height (mm)	1,899	1,899	1,940	1,940
	1,940	1,940		
Wheelbase (mm)	3,275	3,275	3,275	3,275
Front track (mm)	1,630	1,630	1,630	1,630
Rear track (mm)	1,618	1,618	1,618	1,618
Front overhang (mm)	881	881	881	881
Rear overhang (mm)	803	803	1,153	1,153

LOAD AREA DIMENSIONS		MEDIUM	CREW CAB MEDIUM	CREW CAB LONG	LONG
Floor load length (mm)		2,512	1,488	1,838	2,862
Floor load length with Smart Cargo (mm)		3,674	n/a	n/a	4,026
Mid-height load length (mm)		2,185	1,700	Tbc	2,535
Max. load height (mm)		1,397	1,337	1,339	1,397
Max. load width between sides (mm)		1,636	1,618	1,618	1,636
Max. load width between wheel arches (mm)		1,258	1,258	1,258	1,258
Sliding side door max. opening height (mm)		1,258	1,258	1,258	1,258
Sliding side door max. opening width (mm)		1,282	1,282	1,282	1,282
Load area volume (m ³)		5.3	3.2	4.0	6.1
Load area volume with Smart Cargo (m ³)		5.8	n/a	n/a	6.6
WEIGHTS		1.5D 100 6MT	1.5D 120 6MT	2.0D 140 6MT	2.0D 180 8AT
Gross vehicle weight (kg)	Medium	2,635	2,660	3,100	2,760
	Medium Combi	n/a	2,755	n/a	n/a
	Medium Crew Cab	n/a	n/a	3,030	2,830
	Long	n/a	n/a	3,100	n/a
	Long Crew Cab	n/a	n/a	3,030	3,000
Min. kerb weight (kg)	Medium	1,660	1,581	1,654	1,681
	Medium Combi	n/a	1,660	n/a	n/a
	Medium Crew Cab	n/a	n/a	1,770	1,770
	Long	n/a	n/a	1,692	n/a
	Long Crew Cab	n/a	n/a	1,770	1,816

Max, towing capacity – braked (kg)	Medium	1,400	1,800	2,500	2,300
	Medium Combi	n/a	1,800	n/a	n/a
	Medium Crew Cab	n/a	n/a	2,500	2,070
	Long	n/a	n/a	2,500	n/a
	Long Crew Cab	n/a	n/a	2,500	2000
Max, towing capacity – unbraked (kg)	Medium	750	750	750	750
	Medium Combi	n/a	750	n/a	n/a
	Medium Crew Cab	n/a	n/a	750	750
	Long	n/a	n/a	750	n/a
	Long Crew Cab	n/a	n/a	750	750
WHEELS & TYRES					
Wheel type and size	16 or 17in steel or 17in alloy				
Tyre size	215/65R16 or 215/60R17				

These specifications are provided as a guide for media only. Customers wishing to confirm the specification of a specific vehicle should check with their Toyota centre or visit Toyota.co.uk.