

TOYOTA C-HR+ TECHNICAL SPECIFICATIONS

DRIVETRAIN		FWD	
		57.7kWh	77kWh
Electric motors			
Type	Permanent magnet, synchronous motor		
Total power (bhp/DIN hp/kW)	165/167/123	221/224/165	
Max. torque (Nm)	268.6		
Battery		57.7kWh	77kWh
Type	Lithium-ion		
Nominal voltage	288.6	384.8	
Capacity (kWh)	57.7	77	
Number of cells	78	104	
PERFORMANCE			
0-62mph (sec)	8.4	7.3	
Max. speed (mph)	86	99	
Driving range – WLTP (miles)	Icon	284	-
	Design	-	377
	Excel	-	347
Electric energy consumption (combined, miles/kWh)	18in wheels	4.64	4.64
	20in wheels	-	4.23 (Design) 4.20 (Excel)
DIMENSIONS			
Overall length (mm)	4,530		
Overall width – excluding mirrors (mm)	1,870		
Overall height (mm)	1,595		
Wheelbase (mm)	2,750		
Track front (mm)	1,605		
Track rear (mm)	1,620		

Front overhang (mm)	915	
Rear overhang (mm)	855	
INTERIOR DIMENSIONS		
Interior length (mm)	1,835	
Interior width (mm)	1,502	
Interior height (mm)	1,174	
Load capacity (inc. under deckboard, VDA litres)	416	
WEIGHTS	FWD 57.7kWh	FWD 73.1kWh
Kerb weight (kg)	1,810-1,845	1,890-1,950
Gross vehicle weight (kg)	2,465	2,520
Towing capacity (kg)	750	
INSURANCE, SERVICING & WARRANTY		
Insurance group	TBC	
Service intervals	10,000 miles/annually	
Comprehensive new vehicle warranty	3 years/60,000 miles	
Battery warranty	8 years/100,000 miles 10 years/600,000 miles with EV Care Battery Health Check	
SUSPENSION		
Front	MacPherson strut	
Rear	Double wishbone	
BRAKES		
Front	Ventilated discs	
Rear	Ventilated discs	
Parking brake	Electronic	
STEERING		
Type	Rack and pinion, electric power steering	
Steering ratio	14.5:1	
Turns (lock to lock)	2.81	
	Tyre	5.5

Min. turning radius (m)	Body	5.9
WHEELS & TYRES		
Wheel and tyre size	18in, 235/60R18 20in, 235/50R20	

This specification table is a guide for media only; customers should check vehicle specifications with their Toyota Centre, or the Toyota.co.uk website.